Stripper 11 Viscous Alkaline Liquid Stripper

Description

Stripper 11 is a non-flammable, water risible, thixotrophic paint remover, especially designed for stripping various types of paints such as baked enamel, lacquer, varnish, synthetic enamel, zinc chromate primer, epoxies and polyurethanes.

- **Evaporation:** Stripper 11 has a self-forming surface film which retards evaporation and extends the working life.
- » Cling: This product is excellent on all surfaces, vertical or horizontal.
- » Appearance: Translucent, viscous yellow liquid.
- **Corrosion:** Stripper 11 is non-corrosive to aluminum, magnesium, anodized aluminum and ferrous alloys. Stripper 11 will not cause hydrogen embrittlement to high strength steel.
- » Concentration: Use as received.

Specification

This product meets or exceeds all qualifications for the following:

» MIL-PRF-25134C

Method of Use

Application Methods

- » Spray
- » Brush

Equipment

» Spray on the stripper with a non-atomizing sprayer. The stripper may also be applied by brush. When a brush is used, daub to give a thick coating.

Stripping

» Allow sufficient dwell time for thorough loosening or blistering of the paint. When paint is loosened thoroughly agitate all areas with a stiff brush. If paint is still adhering in some areas, reapply and allow additional time before rinsing.

Rinsing

» Crest Stripper 11 and paint residues may be rinsed with high pressure, high volume cold water or with a steam cleaning machine. Slight brushing during the rinse operation insures complete removal of all residues.

Caution

Stripper 11 will attack plastics, therefore, Plexiglas windows should be protected. Also protect rubber window seals and tires. This product contains chlorinated solvents and isopropyl alcohol. It may be fatal or cause blindness if swallowed. Avoid ingestion or prolonged inhalation. Use in well ventilated areas. Avoid contact with skin, eyes, and clothing. Refer to product labels and Safety Data Sheets for precautionary and handling information.

Warranty and Liability Disclaimer

The above information and recommendations concerning this product are based upon our laboratory tests and field use experience; however, since conditions of actual use are beyond our control, any recommendations, or suggestions, are made without warranty, expressed or implied. Manufacturer's and seller's sole obligation shall be to replace that portion of the product shown to be defective. Neither shall be liable for any loss, damage or injury, direct or consequential, arising out of the use of this product.